

# Upper Murray Groundwater Source

# Groundwater annual report 2022

# Introduction

This report is a summary of water accounts, volume pumped and groundwater levels for the Upper Murray Groundwater Source to 2022, including the start of year water account volumes for the 2022/2023 water year (1 July to 30 June). It will be updated regularly.

For detailed information of the hydrogeology, management and past long-term water level behaviour of this water source refer to the Groundwater Resource Description Report for the Murray Alluvium Water Sources at:

www.industry.nsw.gov.au/\_\_data/assets/pdf\_file/0004/230674/appendix-a-murray-alluvium-wrp-groundwater-resource-description.pdf

# Description

The Upper Murray Groundwater Source is located within the Murray River catchment. The water source is bounded by the Murray River to the south and foothills to the north, and extends from the Hume Dam near Albury in the east to Corowa in the west **(Figure 1).** 

#### Figure 1: Location map



© State of New South Wales through Department of Planning and Environment 2022. Information contained in this publication is based on knowledge and understanding at the time of writing, November 2022 and is subject to change. For more information, please visit <u>dpie.nsw.gov.au/copyright</u> PUB22/1291



The Upper Murray Groundwater Source includes all alluvial sediments comprised of clay, silt, sand and gravel to the basement rock.

# Water resource management

### Water sharing plan

The Upper Murray Groundwater Source is managed by the rules defined in the Water Sharing Plan for the Murray Alluvial Groundwater Sources 2020.

This water sharing plan is available for viewing on the Department of Planning and Environment Water website at: <u>www.industry.nsw.gov.au/water/plans-programs/water-sharing-</u> <u>plans/status/murray-region</u>

### **Basic rights**

Basic landholder rights are available in this groundwater source for domestic and stock watering requirements. While landholders don't need an access licence to take water for domestic and stock purposes from groundwater below their property, the bore must be authorised by WaterNSW.

The volume of water set aside in the water sharing plan for basic landholder rights is 403 megalitres (ML).

An approval holder is responsible for monitoring water quality from the bore to ensure it is suitable for its intended purpose for the duration of the approval. Inherent water quality and land use activities may make the water in some areas unsuitable for use. Water from the groundwater sources should not be used without first being tested and, if necessary, appropriately treated to ensure it is fit for purpose. Such testing and treatment are the responsibility of the water user.

### Groundwater access licences

Groundwater access licence share components to 30 June 2022 are presented in Table 1.

Table 1: Upper Murray Groundwater Source share component 30 June 2022

Access Licence Category	Number of Licences	Total Volume
Local Water Utility <sup>1</sup>	2	59
Domestic and Stock (Domestic) <sup>1</sup>	1	24
Aquifer (Town Water Supply) <sup>1</sup>	2	92
Aquifer <sup>2</sup>	98	41,066

<sup>1</sup>Megalitres/year (ML)

<sup>2</sup> Megalitres per unit share



# **Extraction limit**

All groundwater sharing plans have rules to manage extraction in a water source to the long-term average annual extraction limit.

The extraction limit for Upper Murray Groundwater Source is 14,109 ML/year. Extraction in the groundwater source is not compliant if the 5 years average annual extraction is more than 110% of the extraction limit (known as the compliance trigger). If average extraction exceeds the compliance trigger, then the available water determination made for aquifer access licences for the following water year, may be reduced by an amount that would return subsequent total water extraction to the extraction limit.

Information on tracking groundwater extraction against extraction limit for the groundwater source including the likelihood of compliance being triggered in the current water year can be found at: <a href="https://www.industry.nsw.gov.au/water/allocations-availability/tracking-groundwater">www.industry.nsw.gov.au/water/allocations-availability/tracking-groundwater</a>

For each inland groundwater source, the dashboard shows for the current water year:

- Volume that if extracted will reach the compliance trigger (in ML, calculated annually)
- Volume remaining to be extracted before reaching the compliance trigger (in ML, calculated throughout the year)
- The likelihood that access to groundwater may be reduced in the next water year

Note: the information on the dashboard is limited by the extraction data available at the time.

## Available water

Total water availability in a water year is controlled by the available water determinations credited to an access licence account, and the carryover rules that dictate the allowable volume to be brought forward from one year to the next.

Total available water for use is controlled by the annual account usage limits, which define the maximum volume of allocated water that can be taken in that water year. The rules and limits that are applicable to the Upper Murray Groundwater Source are provided in **Table 2**.

Access Licence Category	Carryover Limit	Annual Use Limit	Maximum AWD*
Local Water Utility	0%	100%	100%
Aquifer	0.74 ML/share	1.37 ML/share	1 ML/share

 Table 2: Upper Murray Groundwater Source access licence account rules

\*AWD - available water determination

The maximum amount of water that can be debited from an aquifer access licence account in a water year can't exceed 1.37 ML per unit share component (annual use limit), plus any allocation transferred in (temporary trade), and minus any allocation transferred out. This means that metered extraction plus transfers out can't exceed 137% of the of share component, unless water is transferred in.



Total account water for period 2012/2013 to 2022/2023 is displayed in **Figure 2**, showing the proportion available for use and what is not available for use in a year. Total yearly extraction is also displayed. Note: all access licence categories have been combined in **Figure 2**.

There has been no reduction in the available water determination (AWD) for aquifer access licences in the Upper Murray Groundwater Source since the water sharing plan first started in 2012.

The access licence account information for the Upper Murray Groundwater Source on 1 July 2022 is summarised below:

- Carryover In: 29,773 ML
- Available water determination: 41,241 ML
- Total water in account: 71,014 ML
- Total water available for use: 56,236 ML



#### Figure 2: Account water availability and usage summary for Upper Murray Groundwater Source

# Groundwater trading

Trades are permitted within, but not between Upper Murray and any other groundwater source.

### Allocation assignments (temporary trade)

Trading statistics for the Upper Murray Groundwater Source are illustrated in **Figure 4**, excludes trades for less than \$1 per megalitre.

Further information on water licences, approvals, water trade and water dealings and other matters related to water entitlements in NSW can be found on the NSW Water Register at: <u>waterregister.waternsw.com.au/water-register-frame</u>





#### Figure 4: Upper Murray Groundwater Source temporary trade statistics

# Bores

There are approximately 872 registered bores across the Upper Murray Groundwater Source (**Figure 5**). The majority of these bores are used for stock and domestic purposes (Basic Landholder Rights). There is also significant use of groundwater for irrigation (**Table 3**).

Production bores in the Upper Murray Groundwater Source are located mainly in the western half of the water source between Howlong and Corowa. Bores constructed in the deeper more productive aquifer system can yield up to 1,650 ML/year, while most production bores produce supply up to 200 ML/year (**Figure 6**).

#### Table 3: Approximate number of licensed bores in Upper Murray Groundwater Source (2022)

Groundwater Source	Registered Bore Purpose			
	Basic Landholder Rights	Production	Local Water Utility	
Upper Murray	733	135	4	



# Water level monitoring

WaterNSW monitors groundwater levels at 37 monitoring bores at 19 sites in the Upper Murray Groundwater Source (**Figure 7**). At most monitoring sites there are two or more pipes monitoring different depths. The depth monitored by each pipe reflects the depth where the casing is slotted to allow groundwater entry into the pipe.

A hydrograph is a plot of groundwater level or pressure from a monitoring bore over time. A representative sample of hydrographs from monitoring bores have been selected and are presented in **Figure 8** to **Figure 12**.

Data for the monitored bores as well as private bore information can be obtained from the WaterNSW real time data portal at: <u>realtimedata.waternsw.com.au/</u>

Data is also available for five of the groundwater monitoring sites in real-time via telemetry.

You can also request information via: Customer.Helpdesk@waternsw.com.au

#### Figure 5: Upper Murray Groundwater Source registered bores







#### Figure 6: Lower Namoi Groundwater Source water supply bores and distribution of extraction



#### Figure 7: Upper Murray Groundwater Source monitoring bore sites



#### Figure 8: Hydrograph for monitoring bore GW036306







#### Figure 9: Hydrograph of monitoring bore GW036281

#### Figure 10: Hydrograph of monitoring bore GW088532





#### Figure 11: Hydrograph of monitoring bore GW036376





#### Figure 12: Hydrograph of monitoring bore GW025206



- GW025206 - Pipe 1, Screen: 26.8 - 32.8, 28.3 - 34, 35.9 - 41.9, 36.8 - 42.5 m